

# PRODUCT CATALOGUE

# FloorLaBs

PRODUCT CATALOGUE

**MDF**

**LAMINATE  
FLOORING**

**SPC  
FLOORING**

**PANELS**

**PARQUET**

**ADHESIVES**

**UNDERLAYS**

**SKIRTING  
BOARD**



[www.FloorLaBs.co](http://www.FloorLaBs.co)

# FloorLaBs

LAMINATE FLOORING COLLECTION



## CLASSIC COLLECTION | AC3 - 31. CLASS

8MM

DIMENSION: 19.25CM X 120CM



9322 OAK BARCELONA



9323 OAK WIEN



9324 OAK RIO



9325 OAK ROME



9326 OAK HELSINKI



9327 OAK LISBON



9328 OAK CAIRO



9329 OAK MADRID

# FloorLaBs

LAMINATE FLOORING COLLECTION



## SUPER COLLECTION | AC4 - 32. CLASS

**8MM**

DIMENSION: 19.25CM X 120CM



**4856 OAK CAPETOWN**



**4871 BURMESE TEAK**



**4876 OAK PARIS**



**5023 PINE BERN**



**5034 PINE MOSCOW**



**5035 OAK BUDAPEST**



**5036 OAK SYDNEY**



**5037 OAK LONDON**



**5038 WALNUT RIGA**



**5831 OAK WARSAW**



**7361 OAK KYOTO**



**7366 OAK KOBE**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## ELITE COLLECTION | AC4 - 32. CLASS 4v GROOVE

8MM

DIMENSION: 19.25CM X 120CM



5023 PINE BERN




5026 OAK CHICAGO



5027 PINE KIEW



5028 OAK ZURICH



5030 OAK BERLIN



5031 OAK OSLO



5037 OAK LONDON



5038 WALNUT RIGA

**5042 OAK SPLIT**



**5045 OAK OHRID**



**REGISTER  
EMBOSSED  
SURFACE**



**5042 OAK SPLIT**



**5043 OAK PLOVDIV**



**5044 OAK PATRAL**



**5045 OAK OHRID**



**5046 OAK PODGORICA**



**5048 OAK DURRES**



**1323 OAK SEVILLA**



**1328 OAK MALAGA**

# FloorLaBs

LAMINATE FLOORING COLLECTION



**DREAM COLLECTION** | AC4 - 32. CLASS 4v GROOVE

**10MM**

**DIMENSION: 19CM X 138CM**



**4936 OAK SKOPJE**



**4946 OAK BELGRADE**



**6121 OAK TIRANA**



**6424 OAK SOFIA**



**6425 WALNUT ZAGREB**



**6426 OAK PRISTINA**



**6427 OAK ATHENS**



**6429 OAK KRAKOW**

# FloorLaBs

LAMINATE FLOORING COLLECTION



**SELECT COLLECTION** | AC5 - 33. CLASS 4v GROOVE **12MM** DIMENSION: 19CM X 138CM



1201 OAK VENICE



1202 OAK PORTO




1203 OAK MONACO



1204 OAK VALENCIA



1205 OAK KOPER



1206 OAK BEIRUT



1207 OAK GENOA



1208 OAK ALEXANDRIA



1209 OAK IZMIR



1212 OAK NICE




1213 OAK BODRUM



1214 OAK CANNES






We are offering laminate flooring, SPC flooring, three-layer pre-finished and multi-layer pre-finished parquet, decking and cladding, cork underlayment, all kinds of skirting, profiles, underlays and other materials related to flooring.

In addition to flooring products we have sales of MDF, High Gloss panels, and Doors.

Our products from the best expertise manufacturers are in Europe and Turkey. We have production in Turkey's first MDF, MDFlam and Laminate Flooring manufacturer on a total area of 300,000 m<sup>2</sup> including 90,000 m<sup>2</sup> closed plant in the ditch. Our production company has 9 quality and production system certificates are which have international validity. As FloorLaBs we are working with a strong technological infrastructure in its large capacity production facilities and contributes to the development of industry with its qualified production lines:



- **4 Laminate Flooring Line**
- **2 MDF Production Line**
- **2 Impregnation Line**
- **4 Coating Press, Chemical Plant**

In production facilities where we use innovative technologies, we produce special collections of flooring in numerous colors and designs. Our flooring; It does not contain PVC, PCB, Dioxin and any other environmentally harmful substances. We use E1 glue in HDF production which is used in parquet production. Our products; hygienic, convenient, easy to clean, resistant to pressure, scratches, impacts, ultraviolet rays and household chemicals.

Our Laminate Flooring products are divided into two classes according to their surface wear values:

- Flooring AC3 31st grade products used in high and low density indoor areas: "Abrasion Resistance (AC3): 23rd grade-31st grade  $\geq$  '3f 2500 EN 13329"
- Flooring AC4 32nd Grade products used for medium density workplaces and living spaces: "Abrasion Resistance (AC4): 32nd grade  $\geq$  '3f 4000 EN 13329 EN 13329"

### **Our Manufacturing HDF Features**

Volume : 850-900 kg /m<sup>3</sup> EN 323

Elasticity module : 3500 N /mm<sup>2</sup> EN 310

Surface porosity : 25 cm 24 hour inflatable :  $>13$  EN 317

Tensile strength : min. 1.6 N/mm<sup>2</sup> EN 319

Flexural strength : min 40 N/mm<sup>2</sup> EN 310

# FloorLaBs

LAMINATE FLOORING COLLECTION



## CLASSIC COLLECTION | AC3 - 31. CLASS

8MM

DIMENSION: 19.25CM X 120CM



9322 OAK BARCELONA



9323 OAK WIEN



9324 OAK RIO



9325 OAK ROME



9326 OAK HELSINKI



9327 OAK LISBON



9328 OAK CAIRO



9329 OAK MADRID

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 9322 OAK BARCELONA



- Thickness:** 8mm
- Width** : 192.5mm
- Length** : 1200mm
- Class** : AC3 - 31
- 1 Packet** : 1,85m<sup>2</sup>
- 1 Pallet** : 111m<sup>2</sup>
- 1 Pallet** : 790 kg
- 1 Truck** : 30 Pallets  
3.330m<sup>2</sup>

**CLASSIC COLLECTION | AC3 - 31. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 9323 OAK WIEN



- Thickness:** 8mm
- Width** : 192.5mm
- Length** : 1200mm
- Class** : AC3 - 31
- 1 Packet** : 1,85m<sup>2</sup>
- 1 Pallet** : 111m<sup>2</sup>
- 1 Pallet** : 790 kg
- 1 Truck** : 30 Pallets  
3.330m<sup>2</sup>

**CLASSIC COLLECTION | AC3 - 31. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 9324 OAK RIO



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC3 - 31  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 790 kg  
**1 Truck** : 30 Pallets  
3.330m<sup>2</sup>

**CLASSIC COLLECTION | AC3 - 31. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 9325 OAK ROME



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC3 - 31  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 790 kg  
**1 Truck** : 30 Pallets  
3.330m<sup>2</sup>

**CLASSIC COLLECTION | AC3 - 31. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**




# FloorLaBs

LAMINATE FLOORING COLLECTION



## 9326 OAK HELSINKI



- Thickness:** 8mm
- Width** : 192.5mm
- Length** : 1200mm
- Class** : AC3 - 31
- 1 Packet** : 1,85m<sup>2</sup>
- 1 Pallet** : 111m<sup>2</sup>
- 1 Pallet** : 790 kg
- 1 Truck** : 30 Pallets  
3.330m<sup>2</sup>

**CLASSIC COLLECTION | AC3 - 31. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 9327 OAK LISBON



- Thickness:** 8mm
- Width** : 192.5mm
- Length** : 1200mm
- Class** : AC3 - 31
- 1 Packet** : 1,85m<sup>2</sup>
- 1 Pallet** : 111m<sup>2</sup>
- 1 Pallet** : 790 kg
- 1 Truck** : 30 Pallets  
3.330m<sup>2</sup>

**CLASSIC COLLECTION | AC3 - 31. CLASS**

**8MM**


**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 9328 OAK CAIRO



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC3 - 31  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 790 kg  
**1 Truck** : 30 Pallets  
3.330m<sup>2</sup>

**CLASSIC COLLECTION | AC3 - 31. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 9329 OAK MADRID



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC3 - 31  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 790 kg  
**1 Truck** : 30 Pallets  
3.330m<sup>2</sup>

**CLASSIC COLLECTION | AC3 - 31. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs


LAMINATE FLOORING COLLECTION



## CLASSIC COLLECTION | AC3 - 31. CLASS

8MM

DIMENSION: 19.25CM X 120CM



### 31 CLASS AC3

192,5 MM x 1200 MM x 8 MM

WIDTH	192.5 mm
LENGTH	1200 mm
THICKNESS	8 mm
1 PIECE	0,231 m <sup>2</sup>
1 PACKAGE	1,85 m <sup>2</sup>
PACKAGE WEIGHT	13 ± 1 kg
PACKAGE	8 ADET



Thermal Conductivity



Scratch Proof



Impact Resistance



Staining Resistance



Resistant to UV Light



Not Easily Flammable



Warranty  
Authentic Direct Manufacturer



Quick and Easy Montage



SGS



SGS



SGS



SGS



HCHO (Class 1)

[www.FloorLaBs.co](http://www.FloorLaBs.co)



# FloorLaBs

LAMINATE FLOORING COLLECTION



## SUPER COLLECTION | AC4 - 32. CLASS

**8MM**

DIMENSION: 19.25CM X 120CM



**4856 OAK CAPETOWN**



**4871 BURMESE TEAK**



**4876 OAK PARIS**



**5023 PINE BERN**



**5034 PINE MOSCOW**



**5035 OAK BUDAPEST**



**5036 OAK SYDNEY**



**5037 OAK LONDON**



**5038 WALNUT RIGA**



**5831 OAK WARSAW**



**7361 OAK KYOTO**



**7366 OAK KOBE**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 4856 OAK CAPE TOWN



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**SUPER COLLECTION | AC4 - 32. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 4871 BURMESE TEAK



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**SUPER COLLECTION | AC4 - 32. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**




# FloorLaBs

LAMINATE FLOORING COLLECTION



## 4876 OAK PARIS



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**SUPER COLLECTION | AC4 - 32. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5023 PINE BERN



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**SUPER COLLECTION | AC4 - 32. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5034 PINE MOSCOW



- Thickness:** 8mm
- Width** : 192.5mm
- Length** : 1200mm
- Class** : AC4 - 32
- 1 Packet** : 1,85m<sup>2</sup>
- 1 Pallet** : 111m<sup>2</sup>
- 1 Pallet** : 810 kg
- 1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**SUPER COLLECTION | AC4 - 32. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**

## 5035 OAK BUDAPEST



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5036 OAK SYDNEY



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**SUPER COLLECTION | AC4 - 32. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5037 OAK LONDON



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**SUPER COLLECTION | AC4 - 32. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5038 WALNUT RIGA



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**SUPER COLLECTION | AC4 - 32. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5831 OAK WARSAW



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**SUPER COLLECTION | AC4 - 32. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**



# FloorLaBs

LAMINATE FLOORING COLLECTION



## 7361 OAK KYOTO



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**SUPER COLLECTION | AC4 - 32. CLASS**

**8MM**


**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 7366 OAK KOBE



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**SUPER COLLECTION | AC4 - 32. CLASS**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs


LAMINATE FLOORING COLLECTION



## SUPER COLLECTION | AC4 - 32. CLASS

8MM

DIMENSION: 19.25CM X 120CM



### 32 CLASS AC4

192,5 MM x 1200 MM x 8 MM

WIDTH	192.5 mm
LENGTH	1200 mm
THICKNESS	8 mm
1 PIECE	0,231 m <sup>2</sup>
1 PACKAGE	1,85 m <sup>2</sup>
PACKAGE WEIGHT	13 ± 1 kg
PACKAGE	8 ADET



Thermal Conductivity



Scratch Proof



Impact Resistance



Staining Resistance



Resistant to UV Light



Not Easily Flammable



Warranty  
Authentic Direct Manufacturer



Quick and Easy Montage



SGS



SGS



SGS



SGS



HCHO (Class 1)

[www.FloorLaBs.co](http://www.FloorLaBs.co)



# FloorLaBs

LAMINATE FLOORING COLLECTION



## ELITE COLLECTION | AC4 - 32. CLASS 4v GROOVE

8MM

DIMENSION: 19.25CM X 120CM



5023 PINE BERN




5026 OAK CHICAGO



5027 PINE KIEW



5028 OAK ZURICH



5030 OAK BERLIN



5031 OAK OSLO



5037 OAK LONDON



5038 WALNUT RIGA

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5023 PINE BERN




**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**ELITE COLLECTION | AC4 - 32. CLASS 4v GROOVE**

**8MM**

**DIMENSION: 19.25CM X 120CM**

## 5026 OAK CHICAGO



- Thickness:** 8mm
- Width** : 192.5mm
- Length** : 1200mm
- Class** : AC4 - 32
- 1 Packet** : 1,85m<sup>2</sup>
- 1 Pallet** : 111m<sup>2</sup>
- 1 Pallet** : 810 kg
- 1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5027 PINE KIEW



- Thickness:** 8mm
- Width** : 192.5mm
- Length** : 1200mm
- Class** : AC4 - 32
- 1 Packet** : 1,85m<sup>2</sup>
- 1 Pallet** : 111m<sup>2</sup>
- 1 Pallet** : 810 kg
- 1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**ELITE COLLECTION | AC4 - 32. CLASS 4v GROOVE**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5028 OAK ZURICH



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**ELITE COLLECTION | AC4 - 32. CLASS 4v GROOVE**

**8MM**

**DIMENSION: 19.25CM X 120CM**




# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5030 OAK BERLIN



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**ELITE COLLECTION | AC4 - 32. CLASS 4v GROOVE**

**8MM**


**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5031 OAK OSLO



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**ELITE COLLECTION | AC4 - 32. CLASS 4v GROOVE**

**8MM**

DIMENSION: 19.25CM X 120CM

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5037 OAK LONDON



- Thickness:** 8mm
- Width** : 192.5mm
- Length** : 1200mm
- Class** : AC4 - 32
- 1 Packet** : 1,85m<sup>2</sup>
- 1 Pallet** : 111m<sup>2</sup>
- 1 Pallet** : 810 kg
- 1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**ELITE COLLECTION | AC4 - 32. CLASS 4v GROOVE**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5038 WALNUT RIGA



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1200mm  
**Class** : AC4 - 32  
**1 Packet** : 1,85m<sup>2</sup>  
**1 Pallet** : 111m<sup>2</sup>  
**1 Pallet** : 810 kg  
**1 Truck** : 29 Pallets  
3.219m<sup>2</sup>

**ELITE COLLECTION | AC4 - 32. CLASS 4v GROOVE**

**8MM**

**DIMENSION: 19.25CM X 120CM**

# FloorLaBs


LAMINATE FLOORING COLLECTION



## ELITE COLLECTION | AC4 - 32. CLASS 4v GROOVE

8MM

DIMENSION: 19.25CM X 120CM



### 32 CLASS AC4 • V GROOVE

192,5 MM x 1200 MM x 8 MM

WIDTH	192.5 mm
LENGTH	1200 mm
THICKNESS	8 mm
1 PIECE	0,231 m <sup>2</sup>
1 PACKAGE	1,85 m <sup>2</sup>
PACKAGE WEIGHT	13 ± 1 kg
PACKAGE	8 ADET



Thermal Conductivity



Scratch Proof



Impact Resistance



Staining Resistance



Resistant to UV Light



Not Easily Flammable



Warranty  
Authentic Direct Manufacturer



Quick and Easy Montage



[www.FloorLaBs.co](http://www.FloorLaBs.co)



**5042 OAK SPLIT**



**5045 OAK OHRID**



**REGISTER  
EMBOSSED  
SURFACE**



**5042 OAK SPLIT**



**5043 OAK PLOVDIV**



**5044 OAK PATRAL**



**5045 OAK OHRID**



**5046 OAK PODGORICA**



**5048 OAK DURRES**



**1323 OAK SEVILLA**



**1328 OAK MALAGA**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5042 OAK SPLIT



- Thickness:** 8mm
- Width** : 192.5mm
- Length** : 1380 mm
- Class** : AC4 - 32
- 1 Packet** : 2,13m<sup>2</sup>
- 1 Pallet** : 127,8m<sup>2</sup>
- 1 Pallet** : 960 kg
- 1 Truck** : 29 Pallets  
3.323m<sup>2</sup>

**BEYOND XL COLLECTION | AC4 - 32. CLASS 4v GROOVE** **8MM** DIMENSION: 19.25CM X 138CM

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5043 OAK PLOVDIV



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1380 mm  
**Class** : AC4 - 32  
**1 Packet** : 2,13m<sup>2</sup>  
**1 Pallet** : 127,8m<sup>2</sup>  
**1 Pallet** : 960 kg  
**1 Truck** : 29 Pallets  
3.323m<sup>2</sup>

**BEYOND XL COLLECTION | AC4 - 32. CLASS 4v GROOVE** **8MM** DIMENSION: 19.25CM X 138CM




# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5044 OAK PATRAL



- Thickness:** 8mm
- Width** : 192.5mm
- Length** : 1380 mm
- Class** : AC4 - 32
- 1 Packet** : 2,13m<sup>2</sup>
- 1 Pallet** : 127,8m<sup>2</sup>
- 1 Pallet** : 960 kg
- 1 Truck** : 29 Pallets  
3.323m<sup>2</sup>

**BEYOND XL COLLECTION | AC4-32. CLASS 4v GROOVE** **8MM** DIMENSION: 19.25CM X 138CM

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5045 OAK OHRID



- Thickness:** 8mm
- Width** : 192.5mm
- Length** : 1380 mm
- Class** : AC4 - 32
- 1 Packet** : 2,13m<sup>2</sup>
- 1 Pallet** : 127,8m<sup>2</sup>
- 1 Pallet** : 960 kg
- 1 Truck** : 29 Pallets  
3.323m<sup>2</sup>

**BEYOND XL COLLECTION | AC4 - 32. CLASS 4v GROOVE** **8MM** DIMENSION: 19.25CM X 138CM

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5046 OAK PODGORICA



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1380 mm  
**Class** : AC4 - 32  
**1 Packet** : 2,13m<sup>2</sup>  
**1 Pallet** : 127,8m<sup>2</sup>  
**1 Pallet** : 960 kg  
**1 Truck** : 29 Pallets  
3.323m<sup>2</sup>


**BEYOND XL COLLECTION | AC4 - 32. CLASS 4v GROOVE 8MM DIMENSION: 19.25CM X 138CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 5048 OAK DURRES



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1380 mm  
**Class** : AC4 - 32  
**1 Packet** : 2,13m<sup>2</sup>  
**1 Pallet** : 127,8m<sup>2</sup>  
**1 Pallet** : 960 kg  
**1 Truck** : 29 Pallets  
3.323m<sup>2</sup>

**BEYOND XL COLLECTION | AC4 - 32. CLASS 4v GROOVE** **8MM** DIMENSION: 19.25CM X 138CM

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 1323 OAK SEVILLA



**Thickness:** 8mm  
**Width** : 192.5mm  
**Length** : 1380 mm  
**Class** : AC4 - 32  
**1 Packet** : 2,13m<sup>2</sup>  
**1 Pallet** : 127,8m<sup>2</sup>  
**1 Pallet** : 960 kg  
**1 Truck** : 29 Pallets  
3.323m<sup>2</sup>

**BEYOND XL COLLECTION | AC4 - 32. CLASS 4v GROOVE** **8MM** DIMENSION: 19.25CM X 138CM

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 1328 OAK MALAGA



- Thickness:** 8mm
- Width** : 192.5mm
- Length** : 1380 mm
- Class** : AC4 - 32
- 1 Packet** : 2,13m<sup>2</sup>
- 1 Pallet** : 127,8m<sup>2</sup>
- 1 Pallet** : 960 kg
- 1 Truck** : 29 Pallets  
3.323m<sup>2</sup>

**BEYOND XL COLLECTION | AC4-32. CLASS 4v GROOVE 8MM DIMENSION: 19.25CM X 138CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



**DREAM COLLECTION** | AC4 - 32. CLASS 4v GROOVE

**10MM**

**DIMENSION: 19CM X 138CM**



**4936 OAK SKOPJE**



**4946 OAK BELGRADE**



**6121 OAK TIRANA**



**6424 OAK SOFIA**



**6425 WALNUT ZAGREB**



**6426 OAK PRISTINA**



**6427 OAK ATHENS**



**6429 OAK KRAKOW**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 4936 OAK SKOPJE



- Thickness:** 10 mm
- Width** : 190mm
- Length** : 1380mm
- Class** : AC4 - 32
- 1 Packet** : 1,84m<sup>2</sup>
- 1 Pallet** : 103,04m<sup>2</sup>
- 1 Pallet** : 940 kg
- 1 Truck** : 25 Pallets  
2.576m<sup>2</sup>

**DREAM COLLECTION | AC4 - 32. CLASS 4v GROOVE**

**10MM**

**DIMENSION: 19CM X 138CM**



# FloorLaBs

LAMINATE FLOORING COLLECTION



## 4946 OAK BELGRADE

**Thickness:** 10 mm  
**Width** : 190mm  
**Length** : 1380mm  
**Class** : AC4 - 32  
**1 Packet** : 1,84m<sup>2</sup>  
**1 Pallet** : 103,04m<sup>2</sup>  
**1 Pallet** : 940 kg  
**1 Truck** : 25 Pallets  
2.576m<sup>2</sup>



**DREAM COLLECTION | AC4 - 32. CLASS 4v GROOVE**

**10MM**


**DIMENSION: 19CM X 138CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 6421 OAK TIRANA



- Thickness:** 10 mm
- Width** : 190mm
- Length** : 1380mm
- Class** : AC4 - 32
- 1 Packet** : 1,84m<sup>2</sup>
- 1 Pallet** : 103,04m<sup>2</sup>
- 1 Pallet** : 940 kg
- 1 Truck** : 25 Pallets  
2.576m<sup>2</sup>



**DREAM COLLECTION | AC4 - 32. CLASS 4v GROOVE**

**10MM**

**DIMENSION: 19CM X 138CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 6422 OAK MOSTAR



**Thickness:** 10 mm  
**Width** : 190mm  
**Length** : 1380mm  
**Class** : AC4 - 32  
**1 Packet** : 1,84m<sup>2</sup>  
**1 Pallet** : 103,04m<sup>2</sup>  
**1 Pallet** : 940 kg  
**1 Truck** : 25 Pallets  
2.576m<sup>2</sup>

**DREAM COLLECTION | AC4 - 32. CLASS 4v GROOVE**

**10MM**

**DIMENSION: 19CM X 138CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 6423 OAK KOTOR



- Thickness:** 10 mm
- Width** : 190mm
- Length** : 1380mm
- Class** : AC4 - 32
- 1 Packet** : 1,84m<sup>2</sup>
- 1 Pallet** : 103,04m<sup>2</sup>
- 1 Pallet** : 940 kg
- 1 Truck** : 25 Pallets  
2.576m<sup>2</sup>

**DREAM COLLECTION | AC4 - 32. CLASS 4v GROOVE**

**10MM**

**DIMENSION: 19CM X 138CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 6424 OAK SOFIA



**Thickness:** 10 mm  
**Width** : 190mm  
**Length** : 1380mm  
**Class** : AC4 - 32  
**1 Packet** : 1,84m<sup>2</sup>  
**1 Pallet** : 103,04m<sup>2</sup>  
**1 Pallet** : 940 kg  
**1 Truck** : 25 Pallets  
2.576m<sup>2</sup>  
23.500kg

The colors may look different in digital format. Please check according to original sample.

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 6425 WALNUT ZAGREB



**Thickness:** 10 mm  
**Width** : 190mm  
**Length** : 1380mm  
**Class** : AC4 - 32  
**1 Packet** : 1,84m<sup>2</sup>  
**1 Pallet** : 103,04m<sup>2</sup>  
**1 Pallet** : 940 kg  
**1 Truck** : 25 Pallets  
2.576m<sup>2</sup>

**DREAM COLLECTION | AC4 - 32. CLASS 4v GROOVE**

**10MM**

**DIMENSION: 19CM X 138CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 6426 OAK PRISTINA



**Thickness:** 10 mm  
**Width** : 190mm  
**Length** : 1380mm  
**Class** : AC4 - 32  
**1 Packet** : 1,84m<sup>2</sup>  
**1 Pallet** : 103,04m<sup>2</sup>  
**1 Pallet** : 940 kg  
**1 Truck** : 25 Pallets  
2.576m<sup>2</sup>

**DREAM COLLECTION | AC4 - 32. CLASS 4v GROOVE**

**10MM**


**DIMENSION: 19CM X 138CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 6427 OAK ATHENS



**Thickness:** 10 mm  
**Width** : 190mm  
**Length** : 1380mm  
**Class** : AC4 - 32  
**1 Packet** : 1,84m<sup>2</sup>  
**1 Pallet** : 103,04m<sup>2</sup>  
**1 Pallet** : 940 kg  
**1 Truck** : 25 Pallets  
2.576m<sup>2</sup>

**DREAM COLLECTION** | AC4 - 32. CLASS 4v GROOVE

**10MM**

DIMENSION: 19CM X 138CM



# FloorLaBs

LAMINATE FLOORING COLLECTION



## 6429 OAK KRAKOW



- Thickness:** 10 mm
- Width** : 190mm
- Length** : 1380mm
- Class** : AC4 - 32
- 1 Packet** : 1,84m<sup>2</sup>
- 1 Pallet** : 103,04m<sup>2</sup>
- 1 Pallet** : 940 kg
- 1 Truck** : 25 Pallets  
2.576m<sup>2</sup>

**DREAM COLLECTION** | AC4 - 32. CLASS 4v GROOVE

**10MM**

DIMENSION: 19CM X 138CM

# FloorLaBs


LAMINATE FLOORING COLLECTION



**DREAM COLLECTION** | AC4 - 32. CLASS 4v GROOVE

**10MM**

DIMENSION: 19CM X 138CM



**32 CLASS**  
**AC4 • V GROOVE**  
190 MM x 1380 MM x 10 MM

WIDTH	190 mm
LENGTH	1380 mm
THICKNESS	10 mm
1 PIECE	0,2629 m <sup>2</sup>
1 PACKAGE	1,84 m <sup>2</sup>
PACKAGE WEIGHT	17,25 ± 1 kg
PACKAGE	7 ADET



Thermal Conductivity



Scratch Proof



Impact Resistance



Staining Resistance



Resistant to UV Light



Not Easily Flammable



Warranty  
Authentic Direct Manufacturer



Quick and Easy Montage



SGS



SGS



SGS



SGS



HCHO (Class 1)

[www.FloorLaBs.co](http://www.FloorLaBs.co)



# FloorLaBs

LAMINATE FLOORING COLLECTION



**SELECT COLLECTION** | AC5 - 33. CLASS 4v GROOVE **12MM** DIMENSION: 19CM X 138CM



1201 OAK VENICE



1202 OAK PORTO




1203 OAK MONACO



1204 OAK VALENCIA



1205 OAK KOPER



1206 OAK BEIRUT



1207 OAK GENOA



1208 OAK ALEXANDRIA



1209 OAK IZMIR



1212 OAK NICE



1213 OAK BODRUM



1214 OAK CANNES

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 1201 OAK VENICE



**Thickness:** 12 mm  
**Width** : 190mm  
**Length** : 1380mm  
**Class** : AC5 - 33  
**1 Packet** : 1,58m<sup>2</sup>  
**1 Pallet** : 88,48m<sup>2</sup>  
**1 Pallet** : 940 kg  
**1 Truck** : 25 Pallets  
2.212m<sup>2</sup>

**SELECT COLLECTION | AC5 - 33. CLASS 4v GROOVE 12MM DIMENSION: 19CM X 138CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 1202 OAK PORTO



**Thickness:** 12 mm  
**Width** : 190mm  
**Length** : 1380mm  
**Class** : AC5 - 33  
**1 Packet** : 1,58m<sup>2</sup>  
**1 Pallet** : 88,48m<sup>2</sup>  
**1 Pallet** : 940 kg  
**1 Truck** : 25 Pallets  
2.212m<sup>2</sup>

**SELECT COLLECTION** | AC5 - 33. CLASS 4v GROOVE **12MM** DIMENSION: 19CM X 138CM

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 1203 OAK MONACO



- Thickness:** 12 mm
- Width** : 190mm
- Length** : 1380mm
- Class** : AC5 - 33
- 1 Packet** : 1,58m<sup>2</sup>
- 1 Pallet** : 88,48m<sup>2</sup>
- 1 Pallet** : 940 kg
- 1 Truck** : 25 Pallets  
2.212m<sup>2</sup>

**SELECT COLLECTION** | AC5 - 33. CLASS 4v GROOVE **12MM** DIMENSION: 19CM X 138CM

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 1204 OAK VALENCIA



- Thickness:** 12 mm
- Width** : 190mm
- Length** : 1380mm
- Class** : AC5 - 33
- 1 Packet** : 1,58m<sup>2</sup>
- 1 Pallet** : 88,48m<sup>2</sup>
- 1 Pallet** : 940 kg
- 1 Truck** : 25 Pallets  
2.212m<sup>2</sup>

**SELECT COLLECTION** | AC5 - 33. CLASS 4v GROOVE **12MM** DIMENSION: 19CM X 138CM

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 1205 OAK KOPER



- Thickness:** 12 mm
- Width** : 190mm
- Length** : 1380mm
- Class** : AC5 - 33
- 1 Packet** : 1,58m<sup>2</sup>
- 1 Pallet** : 88,48m<sup>2</sup>
- 1 Pallet** : 940 kg
- 1 Truck** : 25 Pallets  
2.212m<sup>2</sup>

**SELECT COLLECTION** | AC5 - 33. CLASS 4v GROOVE **12MM** DIMENSION: 19CM X 138CM



# FloorLaBs

LAMINATE FLOORING COLLECTION



## 1206 OAK BEIRUT



**Thickness:** 12 mm  
**Width** : 190mm  
**Length** : 1380mm  
**Class** : AC5 - 33  
**1 Packet** : 1,58m<sup>2</sup>  
**1 Pallet** : 88,48m<sup>2</sup>  
**1 Pallet** : 940 kg  
**1 Truck** : 25 Pallets  
2.212m<sup>2</sup>

**SELECT COLLECTION** | AC5 - 33. CLASS 4v GROOVE **12MM** DIMENSION: 19CM X 138CM

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 1207 GENOA



**Thickness:** 12 mm  
**Width** : 190mm  
**Length** : 1380mm  
**Class** : AC5 - 33  
**1 Packet** : 1,58m<sup>2</sup>  
**1 Pallet** : 88,48m<sup>2</sup>  
**1 Pallet** : 940 kg  
**1 Truck** : 25 Pallets  
2.212m<sup>2</sup>

**SELECT COLLECTION** | AC5 - 33. CLASS 4v GROOVE **12MM** DIMENSION: 19CM X 138CM

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 1208 OAK ALEXANDRIA



- Thickness:** 12 mm
- Width** : 190mm
- Length** : 1380mm
- Class** : AC5 - 33
- 1 Packet** : 1,58m<sup>2</sup>
- 1 Pallet** : 88,48m<sup>2</sup>
- 1 Pallet** : 940 kg
- 1 Truck** : 25 Pallets  
2.212m<sup>2</sup>


**SELECT COLLECTION** | AC5 - 33. CLASS 4v GROOVE **12MM** DIMENSION: 19CM X 138CM

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 1209 OAK IZMIR



**Thickness:** 12 mm  
**Width** : 190mm  
**Length** : 1380mm  
**Class** : AC5 - 33  
**1 Packet** : 1,58m<sup>2</sup>  
**1 Pallet** : 88,48m<sup>2</sup>  
**1 Pallet** : 940 kg  
**1 Truck** : 25 Pallets  
2.212m<sup>2</sup>

**SELECT COLLECTION | AC5 - 33. CLASS 4v GROOVE 12MM DIMENSION: 19CM X 138CM**

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 1212 OAK NICE



**Thickness:** 12 mm  
**Width** : 190mm  
**Length** : 1380mm  
**Class** : AC5 - 33  
**1 Packet** : 1,58m<sup>2</sup>  
**1 Pallet** : 88,48m<sup>2</sup>  
**1 Pallet** : 940 kg  
**1 Truck** : 25 Pallets  
2.212m<sup>2</sup>

**SELECT COLLECTION** | AC5 - 33. CLASS 4v GROOVE **12MM** DIMENSION: 19CM X 138CM

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 1213 OAK BODRUM



**Thickness:** 12 mm  
**Width** : 190mm  
**Length** : 1380mm  
**Class** : AC5 - 33  
**1 Packet** : 1,58m<sup>2</sup>  
**1 Pallet** : 88,48m<sup>2</sup>  
**1 Pallet** : 940 kg  
**1 Truck** : 25 Pallets  
2.212m<sup>2</sup>

**SELECT COLLECTION** | AC5 - 33. CLASS 4v GROOVE **12MM** DIMENSION: 19CM X 138CM

# FloorLaBs

LAMINATE FLOORING COLLECTION



## 1214 OAK CANNES



- Thickness:** 12 mm
- Width** : 190mm
- Length** : 1380mm
- Class** : AC5 - 33
- 1 Packet** : 1,58m<sup>2</sup>
- 1 Pallet** : 88,48m<sup>2</sup>
- 1 Pallet** : 940 kg
- 1 Truck** : 25 Pallets  
2.212m<sup>2</sup>

**SELECT COLLECTION** | AC5 - 33. CLASS 4v GROOVE **12MM** DIMENSION: 19CM X 138CM

# FloorLaBs


LAMINATE FLOORING COLLECTION



**SELECT COLLECTION** | AC5 - 33. CLASS 4v GROOVE

**12MM**

**DIMENSION: 19CM X 138CM**



## PACKING INFORMATION

PACKET	6 PIECES
WIDTH	190 mm
LENGTH	1380 mm
THICKNESS	12 mm
1 PIECES	0,263 m <sup>2</sup>
1 PACKET	1,58 m <sup>2</sup>
PACKAGE WEIGHT	17 ± 1 kg



Thermal Conductivity



Scratch Proof



Impact Resistance



Staining Resistance



Resistant to UV Light



Not Easily Flammable



Warranty  
Authentic Direct Manufacturer



Quick and Easy Montage



1008 0501 SGS



1001 1401 SGS



1008 0501 SGS



10005 05010 SGS



HCHO (Class 1)


[www.FloorLaBs.co](http://www.FloorLaBs.co)







Premium European Quality Standards | 100% Waterproof | Pet Friendly | Stain Resistant | Impact Resistant | Lifetime Residential Warranty | Quick & Easy to Install | Patented click locking system | Easy to Maintain | Scratch Resistant | Ultra HD Stunningly Beautiful Wood Visuals | Natural wood feel surface texture | Healthy Flooring choice with no formaldehyde & no phalates & no heavy metals & no benzene & no plasticizes | Intertek Clean Air Certified Flooring; which meets stringent indoor air quality emissions criteria | Made from 70% Natural Stone & 30% Virgin PVC | Very affordable product and install cost | Wont expand or contract | No acclimation | Worry & Stress free maintenance | Installs right over most hard & flat floors | Suitable with underfloor heating | Conforms to room temperature | Fire Resistant | Wear resistant | Safe, slip resistant surface | Sound Absorbing, built in high density IXPE underpad | Antibacterial | Premium Quality Products - which meet and exceed ISO & ASTM standards | Attractive & Informative Packaging |



### ENDURANCE TECH CORE

#### LOCKING SPC RIGID CORE FLOORS

- Plank Size:** 7.13" x 48" Inches | Micro Beveled Edges
- Core:** SPC (Stone Polymer Composite)
- Thickness:** 5mm (with 1.0mm high density pre attached underpad)  
7.5mm / 6.5mm thickness available on factory container orders
- Protection:** Ultimate Shield Scratch, Stain and Wear Resistant Double UV Coating
- Wear Layer:** 22mil (0.55mm) | 20mil (0.5mm)
- Visuals:** Ultra HD, Nature Inspired Realistic Wood
- Surface:** Wood Grain Embossed, Impressive Textures
- Carton:** 10 Pieces, 23.8 sqft / 55 cartons per pallet, 1309 sqft
- Weights:** 42 lbs per Carton / 2300 lbs per pallet
- Installation:** I4F Locking System
- Residential Warranty:** 25 Year Limited
- Light Commercial Warranty:** 7 Year Limited

#### GLUE DOWN SERIES - SPC RIGID CORE FLOORS

- Size:** 7.13" x 48" |
- Thickness:** 4mm & 3mm
- Wear Layer:** 22 mil (0.55mm)
- Protection:** Ultimate Shield Scratch, Stain and Wear Resistant Double Coating

#### HIGH QUALITY STANDARDS OF PRODUCTION:

Our products meet and exceed USA Quality ASTM & ISO Standards:

Featuring proprietary technology to create the ultimate strength SPC waterproof core, which provides over 2000kg m3 density. This results in a product that is structurally solid, impact resistant, extremely durable and guaranteed to last. We achieve this by utilizing a premium quality and completely safe formula which consists of 70% Natural Stone, Virgin PVC, as well as the highest grade polymers and minerals fused together under heat & high pressure using special tech Extruders. Our Core provides next level performance above and beyond competing products.



Easy Click Installation



100% Waterproof



Built In Premium IXPE Under Pad



Suitable With Underfloor Heating



Indent Resistant, Strong & Stable



Lay Over Existing Floors



HD Design & Textures



Slip Resistant & Ultra Quiet



Environmentally Friendly



Naturally Warmer



Meets All ISO & ASTM Quality



Wear Resistant



Hard to Inflamm



Ultimate Shield Surface Coating



Stain Resistant



Healthy Flooring Choice

**ULTIMATE SHIELD SCRATCH RESISTANT** - High Density Fiber Reinforced Layer

**HIGH LAYERS PROTECTION** - High Density Fiber Reinforced Layer

**STONE POLYMER COMPOSITE** - High Density Fiber Reinforced Layer

**HIGH DENSITY FIBER REINFORCED LAYER** - High Density Fiber Reinforced Layer

**HIGH DENSITY FIBER REINFORCED LAYER** - High Density Fiber Reinforced Layer

**HIGH DENSITY FIBER REINFORCED LAYER** - High Density Fiber Reinforced Layer

**FloorLaBs SPC**  
Stone Polymer Composite  
Block in Europe

Base is easy to lay and remove all materials before installation. Do not install over carpet or soft padded flooring.

**DO NOT REMOVE:** Do not remove the protective film until after installation.

**INSTALLATION:** Lay the tiles on a clean, dry, and level subfloor. Use the provided spacers to maintain the correct gap between tiles. Lay the tiles in a staggered pattern, starting from the bottom left corner. Use the provided tapping block and mallet to gently tap the tiles into place. Do not use a hammer directly on the tiles.

**MAINTENANCE:** Clean the floor with a soft, damp cloth. Avoid using abrasive cleaners or scouring pads. Do not use wax or polish. Avoid standing water on the floor for extended periods.

**WARRANTY:** 25 Year Residential / 10 Year Light Commercial. Includes Ultimate Shield Protection, Unmatched Scratch and Stain Resistant Coating, and Double UV Coat.

**www.FloorLaBs.co**  
1-800-823-7115 | 1-800-823-7115 | 1-800-823-7115

**FloorLaBs**  
SPC EUROPEAN COLLECTION

**WATERPROOF** STONE COMPOSITE FLOORING

**www.floorlabs.co**

**DROP-LOCK EASY INSTALLATION**  
Instalación Drop-Lock

**SCRATCH & STAIN RESISTANT**  
Resistente a los Arañazos y las Manchas

**PRE-ATTACHED ACCOUSTIC PAD**  
Almohadilla Acústica Preinstalada

SPC (Stone Polymer) Composition  
High Density Fibre Attached-Pad

**ULTIMATE SHIELD PROTECTION:**

- Ultra Scratch, Stain and Wear Resistant Shield
- Double UV Coat

**FloorLaBs**  
SPC EUROPEAN COLLECTION

**WARRANTY**

- 25 Year Residential
- 10 Year Light Commercial

**DURABLE - ULTIMATE SHIELD PROTECTION**

- Unmatched Scratch and Stain Resistant Coating
- Double UV Coat

**EASY DROP LOCK INSTALLATION**

- Score and Snap Easily
- Locks securely

**STRONG STONE POLYMER CORE**

- Made of 70% Stone Powder for Ultimate Impact Strength

**ULTIMATE SHIELD PROTECTION**

Sets a new industry benchmark in surface protection. This special UV coat technology provides superb performance in scratch, stain and wear resistance (10x stronger resistance than regular UV).

**ENDURANCE** 10x CORE

Featuring proprietary technology to create the ultimate strength SPC waterproof core, which provides over 2000kg m<sup>2</sup> density. This results in a product that is structurally solid, impact resistant, extremely durable and guaranteed to last. We achieve this by utilizing a premium quality and completely safe formula which consists of 70% Natural Stone, Virgin PVC, as well as the highest grade polymers and minerals fused together under heat & high pressure using special tech Extruders. Our Core provides next level performance above and beyond competing products.

**FloorLaBs**  
SPC EUROPEAN COLLECTION

**www.floorlabs.co**

**DURABLE** - Resistente a arañazos y manchas

**GAZANTIA** - Resistencia de 25 años - Comercial 10 años

**FÁCIL INSTALACION DE BLOQUEO DE GOTA** - Hecho de 70% polvo de piedra para máxima resistencia al impacto

**CONTRATA** - Contratas de firma segura

**FloorLaBs**  
SPC EUROPEAN COLLECTION

**www.floorlabs.co**

**FloorLaBs**  
SPC EUROPEAN COLLECTION



# FloorLABs

**WATERPROOF** STONE COMPOSITE FLOORING



# FloorLABs

**WATERPROOF** STONE COMPOSITE FLOORING



# FloorLABs


**WATERPROOF** STONE COMPOSITE FLOORING





# FloorLABs

**WATERPROOF** STONE COMPOSITE FLOORING



# FloorLaBs

## WATERPROOF STONE COMPOSITE FLOORING



### STONE COLLECTION 0.33MM & 0.55MM WEAR LAYER

- DROP LOCK CLICK SYSTEM - 5MM ( 4+1MM IXPE PAD )

**DIMENSION: 30.48CM X 91.44CM**



**F34144-2 GREY MARBLE**



**F34144-3 BLACK MARBLE**



**F34151-4 CALACATTA MARBLE**




**F34165-3 ANTRACHITE CONCRETE**



**F34165-4 GREY CONCRETE**



**F34165-6 LIGHT CONCRETE**



**F34181-0 DARK CONCRETE**



**F34200-2 CARRARA MARBLE**

SPC (Stone Polymer) Composition  
High Density Pre Attached-Pad



**ULTIMATE SHIELD Protection:**

- Ultra Scratch, Stain and Wear Resistant Shield
- Double UV Coat

**How to engage**  
3L TripleLock & Click4U  
Using your hands



INNOVATIONS  
4 FLOORING

Scan to Watch



**DROP-LOCK  
SYSTEM**

**FloorLaBs**

FloorLaBs | STONE SPC COLLECTION  
F34144-2 GREY MARBLE






# FloorLaBs

FloorLaBs | STONE SPC COLLECTION  
F34144-3 BLACK MARBLE







FloorLaBs

FloorLaBs | STONE SPC COLLECTION  
F34151-4 CALACATTA MARBLE





**FloorLaBs**

FloorLaBs | STONE SPC COLLECTION  
F34165-3 ANTRACHITE CONCRETE



# FloorLaBs

FloorLaBs | STONE SPC COLLECTION  
F34165-3 ANTRACHITE CONCRETE



**FloorLaBs**

FloorLaBs | STONE SPC COLLECTION  
F34165-4 GREY CONCRETE




# FloorLaBs

FloorLaBs | STONE SPC COLLECTION  
F34165-4 GREY CONCRETE



**FloorLaBs**

FloorLaBs | STONE SPC COLLECTION  
F34165-6 LIGHT CONCRETE





# FloorLaBs

FloorLaBs | STONE SPC COLLECTION  
F34181-0 DARK CONCRETE



# FloorLaBs

FloorLaBs | STONE SPC COLLECTION  
F34181-0 DARK CONCRETE







# FloorLaBs

FloorLaBs | STONE SPC COLLECTION  
F34200-2 CARRARA MARBLE



# FloorLaBs

## WATERPROOF STONE COMPOSITE FLOORING



### WOOD COLLECTION 0.33MM & 0.55MM WEAR LAYER

- DRY BACK 2.5MM
- DROP LOCK CLICK SYSTEM 5MM (4+1MM IXPEPAD)
- DROP LOCK 6.5MM (5+1.5MM IXPEPAD)

**DIMENSION: 18.11CM X 122CM or  
22.86CM X 122CM**



**F2752-3B OAK EVEREST**



**F40209 OAK DENVER**




**F300-18 OAK INDIANA**



**F3752-4 OAK NEVADA**



**F40147-22 OAK PITTSBURGH**




**F8376-8 WALNUT PORTLAND**



**F40213-7 OAK FLORIDA**




**F40259-5 OAK RIVERSIDE**



**F40261 OAK COLORADO**



**F40147-7 OAK BOSTON**



**F40262-4 OAK MINNEAPOLIS**



**F40274-1 OAK NEWARK**

**50+ MORE DECORS**

[www.FloorLaBs.co](http://www.FloorLaBs.co)










**F40261 OAK COLORADO**



**F40164-8 OAK Jackson**





**F40260-3 OAK Fontana**



**F3751-2 OAK Brooklyn**





**F30256-2 OAK Durham**



**F7190-4 OAK Buffalo**







**F3725-2 OAK Ohio**



**F2752-3B OAK EVEREST**





**F40150-9 OAK Nebraska**



**F7181-7 OAK Arlington**





**F3752 OAK NEVADA**



**F40211-6 OAK Oregon**





**F40213-7 OAK Florida**



**F3752-3 OAK Texas**






**F3750-5 OAK Arizona**




**F40262-4 OAK Minneapolis**





**F40163-6 OAK Albany**



**F40212-7 OAK Long Beach**





**F3752 OAK NEVADA**



**F3713-3 OAK Tampa**





**F7173 OAK ORLANDO**



**F3713-2 OAK Aurora**








**F40260 OAK HOUSTON**



**F40261-7 OAK Cleveland**





**F40261-4 OAK Warwick**



**F3751-2 OAK Brooklyn**





**F40211-9 OAK Miami**



**F40261-2 OAK Oakland**







**F40213-7 OAK Florida**




**F40261-6 Oak Sydney**





**F40266-7 Oak Townsville**



**F40209 OAK DENVER**





**F30262-4B OAK ARARAT**



**F40209-00 OAK Chicago**





**F40164-9 OAK Phoenix**



**F40164-4 OAK Philadelphia**



**F40161-4 OAK Santa Ana**



**F40164-5 OAK San Diego**



**F40234-4 OAK Dallas**



**F40209-5 OAK San Jose**



**F40211-5 OAK Perth**



**F451-17 OAK Austin**





**F40234-2 OAK Darwin**



**F40147-22 OAK Pittsburgh**



**F30129-22 OAK Columbus**



**F300-18 OAK Indiana**



**F430-20 OAK Charlotte**



**F30131-8 OAK Stockton**



**F30133-6 OAK Cincinnati**



**F40259-6 OAK Irvine**



**F0006-04 OAK Omaha**



**F430-15 OAK San Antonio**



**F451-14 OAK Oklahoma**



**F8433-56 OAK Nashville**



**F27118-2 OAK El Paso**



**F524-13 OAK Washington**



**F40147-7 OAK Boston**



**F30109-3B OAK ELBRUS**



**F8376-8 WALNUT Portland**



**F452-3 OAK Detroit**



**F40147-26 OAK Louisville**



**F40181-4 OAK Sacramento**



**F444-16 OAK Mesa**



**F40147-2 OAK Kansas City**



**F7262-4 OAK Atlanta**



**F30129-22B OAK URAL**



**F40274-1 OAK Newark**



**F40259-5 OAK Riverside**



**F40226-0 OAK Seattle**

### FINISHES




#### SATIN LACQUER

Adds lustre to the wood without hiding its character. It makes the surface pleasing to the underfoot as well as being easy to maintain.




#### MATT LACQUER

Gives an impression of pure and untreated wood. The subtle finish does not conceal wood's natural look while making it more durable and easier to clean.



#### BRUSHED

The natural structure and texture is accentuated by mechanical brushing. Enhance the beauty of a brushed floor with other treatments such as a bevelled-edge or coloured stain.



#### SMOKED




Wood, especially Oak, is processed to infuse a dark and smoky look to each plank. Preferred by the imaginative and artistic.



#### STAINED

Adds elegance and a layer of sophistication to any wood. The finish harmonises the wide variation of natural wood without covering its natural detail.

### TAILOR MADE MARQUETRY PRODUCTION







**BM101 OAK  
OXFORD**



**BM 102 IROCO  
OXFORD**



**BM 103 OAK/WALNUT  
OXFORD**




**BM201 MERBAU LONDON**



**BM 202 OAK SELECT  
LONDON**




**BM 203 TEAK  
LONDON**



**BM 204 OAK SELECT  
LONDON**



**BM 205 OAK PATINE  
LONDON**



**BM 206 WALNUT  
LONDON**



**BM 301 OAK  
BIRMINGHAM**



**BM 401 OAK/WALNUT  
BATH**



**501 OAK  
ANGEL**



**BM 601 OAK  
WIMBLEDON**



**BM 701 OAK/WALNUT  
CHELSEA**



**BM 801 OAK GREY ANGEL**



**BM 901 OAK RUSTIC  
SOHO**



**BM 902 OAK SELECT  
SOHO**



**BM 903 OAK BROWN  
SOHO**

# FloorLaBs

## PARQUET COLLECTION

BEAUTY IN EVERY DESIGN



**1-Strip:** The grandeur of wide wood planks distinguishes large spaces with a smooth and well-balanced wooden look. Single strip planks give greater depth to spacious rooms and long passages.



**2-Strip:** Each plank displays a 2-Strip pattern to create a distinct and individual look. Ideal for mid-sized rooms. Unique mix of patterns give the room an expansive and open appearance.



**3-Strip:** The versatile and imaginative 3-Strip style accentuates any room size by fusing the vintage parquet floor impression with a modern edge and flair without any hassle.



**Herringbone:** The versatile range of Herringbone collection allows the flexibility to customise every living space.

## EDGES

---



### BEVELLED EDGE

Dramatically accentuates each individual plank, resulting in a more traditional floorboard feel and lends a more rustic and classical impression.



### MICRO-BEVELLED EDGE

Small, eased edges are virtually unnoticeable in between plank heights and offer a seamless connection between joints.



### SQUARE EDGE

Creates a smooth, uniform surface that fuses the wood floors together from plank to plank and provides a contemporary and sleek look.



## FINISHES

---



### SATIN LACQUER

Adds lustre to the wood without hiding its character. It makes the surface pleasing to the underfoot as well as being easy to maintain.



### MATT LACQUER

Gives an impression of pure and untreated wood. The subtle finish does not conceal wood's natural look while making it more durable and easier to clean.



### BRUSHED

The natural structure and texture is accentuated by mechanical brushing. Enhance the beauty of a brushed floor with other treatments such as a bevelled-edge or coloured stain.



### SMOKED

Wood, especially Oak, is processed to infuse a dark and smoky look to each plank. Preferred by the imaginative and artistic.



### STAINED

Adds elegance and a layer of sophistication to any wood. The finish harmonises the wide variation of natural wood without covering its natural detail.



**BP 101 OAK SELECT**



**BP 102 OAK NATURE**



**BP 103 OAK LOFT**



**BP 201 OAK SELECT**



**BP 202 OAK NATURE**



**BP 203 OAK RUSTIC**




**BP 301 OAK TUNDRA**




**BP 302 OAK BROWN**




**BP 303 OAK CARAMEL**



**BP 401 IROCO PLANK**



**BP 402 IROCO 2 STRIPS**



**BP 403 IROCO 3 STRIPS**



BP 501 WALNUT SELECT



BP 502 WALNUT COUNTRY




BC 101 OAK CHEVRON



BC 201 WALNUT CHEVRON

### UNDERLAYMENT COLLECTION

**F222 FOLD XPS**



**F102 WHITE FOAM UNDERLAY**



**F203 STYROFOAM XPS**



**F302 METALIZED UNDERLAY**



**F402 CORK UNDERLAY**




**F501 UNDERHEATING UNDERLAY**




**F315 SOLATION ALUMINIUM SEAM TAPE**



**F627 CORK & RUBBER UNDERLAY**







## F315 ISOLATION ALUMINIUM SEAM TAPE

- Use to tape seam on underlayment
- Provides a moisture proof bond
- Moisture resistant



# FloorLaBs

## SKIRTING BOARD COLLECTION

This decor-matching MDF skirting is suitable for all our laminate flooring supplied by FloorLaBs. In addition, matching corners and edgings available.


**FROM**  
1 CM TO 24 CM



**ALL**  
**THICKNESS**



**FF**  
100+ COLOURS




**PVC**  
15+ COLOURS



# FloorLaBs

SKIRTING BOARD COLLECTION






Length: 2400mm

**From SCOATIA to PLINT  
WE CAN PRODUCE**



[www.FloorLaBs.co](http://www.FloorLaBs.co)








The colors may look different in digital format.  
 Please check according to original sample.

# Wood Veneered Skirting

Doğal ağaç kaplamalı  
süpürgeliklerimiz;  
zemindeki parkenizle  
mükemmel bir uyum  
içinde duvarlarınızı  
süslüyor.

Wood veneered skirting;  
our products by wood  
veneer skirtings which  
are perfect match with  
your parquet on the floor  
decorate your wall.





HDF ÜZERİ AHŞAP KAPLAMALI SÜPÜRGELEKLER WOOD VENEERED SKIRTINGS (HDF SUPPORTED)				
	MODEL MODEL	YÜKSEKLİK HEIGHT mm	KALINLIK THICKNESS mm	UZUNLUK LENGTH mm
	D Kaplama	60 mm'den 200 mm'ye kadar	13-18	2100-2440-2800
	F Kaplama	60 mm'den 200 mm'ye kadar	13-18	2100-2440-2800
	L Kaplama	60 mm'den 100 mm'ye kadar	13-18	2100-2440-2800
	ASTORIA Kaplama	80 mm'den 200 mm'ye kadar	13-18	2100-2440-2800
	BERGAMA Kaplama	80 mm'den 200 mm'ye kadar	13-18	2100-2440-2800
	SUNFLOWERS Kaplama	100 mm'den 200 mm'ye kadar	18	2100-2440-2800
	TOSKANA Kaplama	120 mm'den 200 mm'ye kadar	18	2100-2440-2800

AĞAÇ DESTEKLİ AHŞAP KAPLAMALI SÜPÜRGELEKLER WOOD VENEERED SKIRTINGS (WOOD-SUPPORTED)				
	MODEL MODEL	YÜKSEKLİK HEIGHT mm	KALINLIK THICKNESS mm	UZUNLUK LENGTH mm
	D Kaplama	60 mm'den 200 mm'ye kadar	14-15	2100-2440-2800
	F Kaplama	60 mm'den 200 mm'ye kadar	14-15	2100-2440-2800
	L Kaplama	60 mm'den 100 mm'ye kadar	14-15	2100-2440-2800
AHŞAP DUVAR PANELİ / WOODEN WALL BOARD				
MODEL MODEL	EN (YÜKSEKLİK) HEIGHT	KALINLIK THICKNESS mm	UZUNLUK LENGTH mm	
HDF Üzeri Ahşap Papelli	120-140-160	18	2100-2440-2800	
HDF Üzeri Ahşap Kaplamalı	100-120-140	13-18	2100-2440-2800	
YER DÖŞEME PANELİ / WOODEN FLOOR BOARD				
MODEL	EBAT mm		KALINLIK mm	
Marküteri	300X300mm'den 1000X1000mm'ye kadar		15-20	
Macar	90-160 X 500-1000		12-20	
BAZİ AĞAÇ KAPLAMA TÜRLERİ / SOME KIND OF THE WOOD VENEER				
MEŞE / OAK	TEAK / TEAK			
SAPELLI / SAPELLI	AFRORMOSIA / AFRORMOSIA			
KAYIN / BEECH	AKÇAĞAĞ / ALDER			
DUSİA / DOUSSIE	DİŞBUDAK / ASH TREE			
İROKO / İROKO	JATOBA / JATOBA			
CEVİZ / WALNUT	ANİGRA / ANİGRA			
WENGE / WENGE	PATİNA ÜRÜNLERİ / LİMED VENEERS			
BAMBU / BAMBOO	ALPİ KAPLAMALAR / ENGINEERED VENEERS			
MERBAU / MERBAU	RENKLENDİRİLMİŞ ÜRÜNLER / COLOURISED VENEER			

Tüm modellerimizde askılık sistemi uygulanabilmektedir.

Hanger System Is Applied For All Products.









LAKE SÜPÜRGEL İKLER / LAQUARED SKIRTINGS				
	MODEL MODEL	YÜKSEKLİK HEIGHT mm	KALINLIK THICKNESS mm	UZUNLUK LENGTH mm
	D LAKE	60 mm'den 200 mm'ye kadar	13-18	2800
	F LAKE	60 mm'den 200 mm'ye kadar	13-18	2800
	L LAKE	60 mm'den 100 mm'ye kadar	13	2800
	VERONA	60 mm'den 200 mm'ye kadar	13-18	2800
	BERGAMA	80 mm'den 200 mm'ye kadar	13-18	2800
	ASTORİA	80 mm'den 200 mm'ye kadar	13-18	2800
	SİMİRNA	80 mm'den 200 mm'ye kadar	18	2800
	SUNFLOWER	100 mm'den 200 mm'ye kadar	18	2800

LAKE SÜPÜRGEL İKLER / LAQUARED SKIRTINGS				
	MODEL MODEL	YÜKSEKLİK HEIGHT mm	KALINLIK THICKNESS mm	UZUNLUK LENGTH mm
	MARSİLYA	100 mm'den 200 mm'ye kadar	18	2800
	LİKYA	120 mm'den 200 mm'ye kadar	18	2800
	TOSKANA	120 mm'den 200 mm'ye kadar	18	2800
	KARYA	120 mm'den 200 mm'ye kadar	18	2800
	TRUVA	120 mm'den 200 mm'ye kadar	18	2800
	OLİMPİA	120 mm'den 200 mm'ye kadar	18	2800
	PETRA	120 mm'den 200 mm'ye kadar	18	2800
	SİCİLYA	160 mm	30	2800








**ALÜMİNYUM SÜPÜRGELİK**  
**ALUMINIUM SKIRTING BOARDS**  
АЛЮМИНИЕВЫЙ НАПОЛЬНЫЙ ПЛИНТУС





**KABLO KANALLI ALÜMİNYUM SÜPÜRGELİK**  
**ALUMINIUM SKIRTING BOARDS WITH CHANNEL FOR CABLING**  
ПЛИНТУС С КАБЕЛНОМ КАНАЛОМ



01

ÖLÇÜ : 60 mm  
KOD : SPALM  
BOY : 250 cm



11

ÖLÇÜ : 60 mm  
KOD : SPALMPR  
BOY : 250 cm

**ALÜMİNYUM SÜPÜRGELİK AKSESUARLARI**  
**ALUMINIUM SKIRTING ACCESSORIES**  
ДЕТАЛИ ДЛЯ АЛЮМИНИЕВЫЕ ПЛИНТУСА



İÇ KÖŞE



DIŞ KÖŞE



EK APARAT



EK APARAT



SAĞ FINAL



SOL FINAL

G801

G802


G803

**ALÜMİNYUM SÜPÜRGELİK**  
**ALUMINIUM SKIRTING BOARDS**  
АЛЮМИНИЕВЫЙ НАПОЛЬНЫЙ ПЛИНТУС

G804



ÖLÇÜ : 90 mm  
KOD : SPALMDZ90  
BOY : 300 cm



G805



01



ÖLÇÜ: 60 mm  
KOD : SPALMDZ60  
BOY : 300 cm

G806




11

ÖLÇÜ : 60 mm  
KOD : SPALMDZPR60  
BOY : 300 cm




G807



ALM. MONTAJ ARKALIĞI

ALM. SÖPÜRGELİK GÖVDE

ÖLÇÜ:105 mm  
KOD :SPALMDZ105  
BOY :300 cm



# FloorLaBs

OTHER COLLECTIONS

## ADHESIVE COLLECTION

**MDF KIT  
2C RAPID ADHESIVE**



**PARQUET GLUE  
TWO COMPONENTS PU**



**MULTIPURPOSE SILICONE**



**ONE COMPONENT  
PU CONCRETE PRIMER**



**PU EXPANDABLE  
FOAM ADHESIVE**



**PVC GLUE  
ACRYLIC BASED**



**SILICINIZED ACRYLIC  
SEALANTS**



**ACRYLIC PRIMER  
WATER BASED**







purpose silicone is a singlecomponent (acetic curing) sealant and filler material having an extensive usage area. It provides a strong adhesion to many non-porous surfaces including general construction materials.

**Features:** After curing, it remains continuously flexible. Acetox system cures. It is suitable for sanitary environments. It provide perfect adhesion to non-porous surfaces. It does not crack and go yellow, it is resistant to aging effects. It resistant to detergent, cleaning materials and chemicals. It can be applied in every season. It gives off typical acid odour in the course of curing. The places of use: It is generally used in joints of structural elements, doorways and interfenestrations for the purpose of isolation and filling, glazing and montage works, joints of metal, glass, porcelain, steel etc. materials, applications in bathroom and kitchen, sanitary works, electric materials, isolation of sockets and switches.

### RENKLER COLORS



Şeffaf Transparent

URN.SIL.001



Siyah Black

URN.SIL.003



Beyaz White

URN.SIL.002



Kahve Brown

URN.SIL.018



Gri Gray

URN.SIL.004



Alüminyum Gümüş Aluminum Silver

URN.SIL.021





single component acrylic-based filler.

**Features:** It is easy to use. After drying, it creates a waterproof layer. It is resistant to weather conditions and preserves its flexibility for a long time. It can be painted and its surface is oil proof and it does not affect the surface to be filled. It is resistant to water, wind and humidity in aluminum, wood and PVC frame and windows. It is used in expansion joints between prefabricated structural components, montage of wood, PVC, iron and aluminium joineries, joints of plaster, sill and the other structural materials of all joineries, joints of eternit (roofing material made of asbestos and cement) and aluminium roof and front plates and the other structural materials, also against cracks before painting.

### RENKLER COLORS

○ Beyaz White  
URN.MAS.001

● Gri Gray  
URN.MAS.002

● Siyah Black  
URN.MAS.028

● Kahve Brown  
URN.MAS.029

● Altınmeşe Golden Oak  
URN.MAS.030

● Kayınmeşe Beech Oak  
URN.MAS.032

● Ceviz Walnut  
URN.MAS.036

● Selvi Cypress  
URN.MAS.039

● Akasyaçam Acacia Pine  
URN.MAS.040

● Akçaağaç Maple  
URN.MAS.031



**HD202-SILICONE GUN**

purpose polyurethane foam is a single-component aerosol polyurethane foam which expands and cures via humidity. It is designed to be used via pipet given with each aerosol box. It does not contain any propellant gas damaging the ozone layer. Features: It does not become mouldy and it is waterproof, it can be painted. After drying, hardened foam can be cut, sanded, painted and plastered.

**Features:** It is used in montage and isolation of door and window frames, in filling and insulation of gaps, big cracks and holes, in isolation of electrical installations and hot&cold water piper as a general purpose filler, adhesion and insulating material. It is used in montage and isolation of door and window frames, in filling and insulation of gaps, big cracks and holes, in isolation of electrical installations and hot&cold water piper as a general purpose filler, adhesion and insulating material.





400ml MDF adhesives are a cyanoacrylate-based adhesive set with high viscosity adhering via activator and showing perfect result.

**The places of use:** It can be applied in montage and repair of wood parts, on mdf, rubber, leather, plastic surfaces and everywhere requiring quick adhesion.



**Packaging :** Plastic bucket, 9 Kg + hardener 1 Kg

## Parquet Adhesive HP – 1987 / PU

is a high quality two component polyurethane parquet adhesive. It does not contain water or any solvent.

HP-1987 / PU is especially suitable for all types of parquet applications which are extremely sensitive to swelling. It is resistant against moisture and useful for insulation. According to features it has, it does not spread when applied to totally dry and clean substrates.

It can be applied on suitable substrates which are cementitious deiced, floors levelled with levelling compounds, floors covered with ceramics, marble or wood. The surface to be applied must be even, totally dry, clean and free from cracks.

It can be applied safely on the underfloor heating systems. It is resistant to sudden temperature changes in the application areas.



## PVC&Vinyl Adhesive HV – 1981

is a low emission adhesive with a high initial grab for vinyl, polyolefin and rubber floor covering.

### Product Typification

- Multi-purpose application
- Easy to apply
- Short waiting time
- Long open time
- High stickiness
- Long final adhesion strength
- Consumption : 250 – 300 gr/m<sup>2</sup>



# HN-3451

## Anti-Slip Block Carpet Adhesive

is a slip-resistant dispersion coating for loose-laid carpet tiles.

Ready to use, water-based and fluid tackier. Dries to a transparent, rubber-like coat which reduces the potential for slipping and movement of loose-laid tiles.

- Quick drying
- Loose-laid tiles are removable
- Prevents hollow joints and “traffic marks”
- High dimensional stability
- High shear resistance
- Low consumption ( 50-100 gr / m<sup>2</sup>)

## HG-1983 AC Acrylic Based Undercoat

Undercoat HG 1983 AC is a acrylic based dispersion primer for absorbent surfaces.

It is safely used as a primer in all mineral based substrates of indoor or outdoor areas.

### Features

- Ready to use, absolutely solvent-free.
- Provides excellent adhesion and reduces consumption.
- Suitable for use on porous or absorbent surfaces and has excellent closure.
- It is flexible, ensures smooth surface of screed.
- Extends the service life of the coating.



## HN-2013 PUR Component Polyurethane Based Floor Moisture

Floor Moisture HN-2013/ PUR It is a one component polyurethane based primer that can be applied on water and moisture resistant, moist or wet concrete surfaces.



### Place of use

- Moist, damp concrete
- Wet or wet concrete, tile, wood, asphalt and asphalt membranes
- Water tanks made of concrete, steel or other materials

### Benefits

- Excellent adhesion to almost any surface



## HM-1457

### Polyurethane Based Moisture Barrier



Moisture Barrier HM-1457 / PUR is one component, solvent, polyurethane based, moisture reducing impregnation primer.

Concrete, brick, stone, ceramic, marble, compacted concrete, sheet metal, untreated wood, such as porous and absorbent used on surfaces MaxTiger Moisture Barrier MOB 7401 / PUR PMT is compatible with polyurethane based systems.

Product Typification

Colour : Yellowish transparent

Density (20 °C, gr / cm<sup>3</sup>) : 1,0-1,05 Solid : Min. 40%

## HN-8783

### Polyurethane Based Floor Paint

HN 8783- TK is a two component polyurethane floor paint which can be used in such as factories, hotels, stores, parking areas.

- High resistance to abrasion
- Dust-proof cover
- High mechanical and physical strength
- Solvent free
- Suitable for pedestrian, forklift and vehicle traffic
- Fast curing



## HN-4054

### EP Epoxy Floor Paint

is an epoxy based floor paint used in factories, hospitals, stores, hotels, parking lots, warehouse, etc.



- Two component.
- High resistance to abrasion.
- High resistance to water, acid and alkaline.
- Anti dust coating.
- Mechanical and physical strength is high.
- Solvent free
- Suitable for pedestrian, forklift and vehicle traffic.
- The amount of consumption is (0,150-0,250 kg/m<sup>2</sup>)

**PVC ve ALÜMİNYUM KAPLAMALI HALI PARKE GEÇİŞ PROFİLLERİ**  
**COVERED PVC&ALUMINIUM TRANSITION PROFILE FOR CARPET-PARQUET**  
 ПРОХОДНЫЕ ПРОФИЛИ С ПОКРЫТИЕМ ДЛЯ КАВРОВ И ПАРКЕТОВ ИЗ ПВХ-АЛЮМИНИЙ

**30 mm ALÜMİNYUM KAPLAMALI GEÇİŞ PROFİLLERİ**  
**30 mm COVERED ALUMINIUM TRANSITION PROFILES**  
 30 MM АЛЮМ. ПРОХОДНЫЕ ПРОФИЛИ С ПОКРЫТИЕМ



ÖLÇÜ : 30 mm  
 KOD : GPRAK30  
 BOY : 270 cm

I201

**40 mm ALÜMİNYUM KAPLAMALI GEÇİŞ PROFİLLERİ**  
**40 mm COVERED ALUMINIUM TRANSITION PROFILES**  
 40 MM АЛЮМ. ПРОХОДНЫЕ ПРОФИЛИ С ПОКРЫТИЕМ



ÖLÇÜ : 40 mm  
 KOD : GPRAK40  
 BOY : 270 cm

I202


**35 mm PVC KAPLAMALI GEÇİŞ PROFİLLERİ (Bantlı)**  
**35 mm COVERED PVC TRANSITION PROFILES (With Band)**  
 35 mm ПВХ ПРОХОДНЫЕ ПРОФИЛИ С ПОКРЫТИЕМ (С ЛЕНТОЙ)



ÖLÇÜ : 35 mm  
 KOD : GPRP35  
 BOY : 270 cm

I203

**50 mm ALÜMİNYUM KAPLAMALI GEÇİŞ PROFİLLERİ**  
**50 mm COVERED ALUMINIUM TRANSITION PROFILES**  
 50 MM АЛЮМ. ПРОХОДНЫЕ ПРОФИЛИ С ПОКРЫТИЕМ



ÖLÇÜ : 50 mm  
 KOD : GPRAK50  
 BOY : 270 cm

I204




ÖLÇÜ : 37 mm  
 KOD : GPRES7  
 BOY : 270 cm




## LAMİNANT KOT FARKI PROFİLİ THE LEVEL DIFFERENCE LAMINATE PROFILE

Профиль для разницы отметок ламинированного паркета



1205




ÖLÇÜ : 10 mm  
KOD : LKFA10  
BOY : 270 cm



1206





ÖLÇÜ : 15 mm  
KOD : LKFA15  
BOY : 270 cm




## LAMINANT PARKE Z PROFİLİ / Z PROFILES FOR LAMINATE PARQUET ПРОФИЛЬ ( Z ) ДЛЯ ПАРКЕТОВ



I207




ÖLÇÜ : 27 mm  
KOD : LPZP08  
BOY : 270 cm





I208




ÖLÇÜ : 39 mm  
KOD : LPZP10  
BOY : 270 cm



I209





ÖLÇÜ : 30 mm  
KOD : LPZZ10  
BOY : 270 cm



**LAMİNANT PARKE MERDİVEN BURUNLUĞU PROFİLLERİ**  
**NOSING OF STAIR PROFILES FOR LAMINATE PARQUET**  
 АЛЮМИНИЕВЫЕ ПРОФИЛИ ДЛЯ СТУПЕНКИ - ПАРКЕТОВ



I210



ÖLÇÜ : 8 mm  
 KOD : LPBR08  
 BOY : 270 cm



I211




ÖLÇÜ : 10 MM  
 KOD : LPBR10  
 BOY : 270 cm




### LAMİNANT PARKE BİTİM PROFİLİ / ENDING PROFILES FOR LAMINATE PARQUET ФИНИШНЫЙ ПРОФИЛЬ ДЛЯ ПАРКЕТОВ

I212




ÖLÇÜ : 8 mm  
KOD : LBPA08  
BOY : 270 cm

ÖLÇÜ : 10 mm  
KOD : LBPA10  
BOY : 270 cm



I213




ÖLÇÜ : 8 mm  
KOD : LBDP08  
BOY : 270 cm



### HAÇ BİTİM PROFİLİ THE ENDING CARPET PROFILE ФИНИШНЫЙ ПРОФИЛЬ ДЛЯ КАВРОВ

I214





ÖLÇÜ : 9 mm  
KOD : HBPA09  
BOY : 270 cm



### ALÜMİNYUM KÖŞEBENTLER ALUMINIUM ANGLE BAR АЛЮМИНИЕВЫЕ УГОЛКИ

I215



ÖLÇÜ : 10x10  
KOD : FKDA10  
BOY : 270 cm

ÖLÇÜ : 15x15  
KOD : FKDA15  
BOY : 270 cm

ÖLÇÜ : 20x20  
KOD : FKDA20  
BOY : 270 cm


ÖLÇÜ : 30x30  
KOD : FKDA30  
BOY : 270 cm




I216




20 mm Alüminyum T Profili




ÖLÇÜ :20 mm  
KOD :GPRT20  
BOY :270 cm




I217



15 mm T Profili




ÖLÇÜ :15 mm  
KOD :GPRT15  
BOY :270 cm




I218



25 mm T Profili




ÖLÇÜ :25 mm  
KOD :GPRT25  
BOY :270 cm



I219



30 mm T Profili



ÖLÇÜ :30 MM  
KOD :GPRT30  
BOY :270 CM





I721- ADJUSTABLE CUTTING MACHINE

- Cutting With 300mm Saw
- 30-32 mm Saw Adapter Bush
- Aluminium Motor Housing
- Powerful Induction Motor
- Comfortable Working Because of Vibrationless Working
- All Ball Bearing Construction
- Top Table With Height Adjustment
- Aluminium Casting Machine Body
- Powerfull Clamp System

Voltage	230 V
Power Requirement	0,75 kW
Frequency	50 Hz
Amps	5,2 A
No Load Speed	2830 Rpm
Saw Diameter	300 mm
Left and Right Angles	45° - 0° - 45°
Bevel Angles	45° - 0°
Cutting Capacity	
Left or Right 0° - Bevel 0°	(h) 60 mm x 120 mm
Left or Right 45° - Bevel 0°	(h) 60 mm x 90 mm
Left or Right 0° - Bevel 45°	(h) 45 mm x 120 mm
Table Saw Cutting Height	30 mm
Net Weight (Kg)	30 Kg

- Extremely high build quality
- Long durability of the blade
- Reduced amount of dust left to clean up
- Saves time as cutting on the spot



1722- Laminate Cutter for Cross Cutting



I901- FLOORING CLEANER  
CONCENTRATED



I902 - PARQUET CARE  
CLEANER



I903 - MOB

This high-quality glue trowel is indispensable for a professional 'glue-down' installation of floor.



**1781- 3 TO 8MM ADHESIVE SPREADER  
WITH ORTOPEDIC HANDLE**



**1782- 3 TO 8MM ADHESIVE SPREADER  
WITH FULL CONTROLLED HANDLE**

Spacers can be used to install any laminate flooring, vinyl plank flooring, engineered hardwood, bamboo, LVT, Subfloor panels, or any other floating floor material. Spacers will ensure that your installation maintains the correct expansion gap between the floor and your walls.



1731 - INSTALLATION SPACER

Closes gaps when installing flooring. Its beveled end prys into tight spaces, while the steel block provides a heavy duty hammer contact point that doesn't absorb your strike. When you need extra strength, this tool is the answer.



1732 – Pull and Pry Bar for Installation

A strong outer shell protects your knee from sharp objects while an inner silicone gel cushion acts as a shock absorber for your joints. The outer shell also features a traction based design to allow the user to move with confidence on their knees while working. Elasticated high quality straps focus on holding the knee pad in place while not being overly restrictive. Adjustable straps for a secure fit. Ergonomically designed and tested straps ensure no pinching to the back of the wearers leg.



1741 – KNEE PADS


Steel toe (Steel toe resistance to up to 200 Joule impacts). Suede, Skin leather laminated with felt

- Double density polyurethane sole
- Antistatic
- Shock absorbing sole
- Oil resistant
- Anatomic
- Removable, breathable
- Polyurethane



1732 – SAFETY SHOES

Decking products have a wide range with thickness, width and profile options. We have Wooden (Thermowood, Kill Dried) and Composite Deck options.




WOODEN DECK




COMPOSITE DECK





WOODEN DECK



COMPOSITE DECK

The Thermowood® products obtain superior properties at the end of natural change process by use of thermal processes. It creates woods much more stable and resistant against rotting and air conditions compared to normal wood. Since it is produced with natural methods without using chemical agents, it is very healthy for lives of people. Since the glucose, resin and citric acid is emptied during the process, it has a very high biological resistance. Thermowood® method minimizes the physical changing factors such as turning, extending or shrinking and ensures that the wood has dimensional stability. Thanks to formulized controlled processes, color stability is obtained on the part. The product lightening with thermal process decreases the load on the structure for façade implementations and ensures strong heat insulation with lower thermal transmission.




### **PINEWOOD**

The pinewood procured from the sustainable forests of Finland (FSC) and Northern Europe is one of the most preferred tree types thanks to decorative image and heights. The pine is not resistant against external conditions in natural conditions. Therefore, the resistance and rigidity of pinewood products increases significantly thanks to Thermowood® process implemented by NasThermowood. NasThermowood pinewood resistant against environmental conditions are preferred especially in façade coats.



### **ASHEN WOOD**

Ashen wood with origins from Northern Europe and Northern America is a tough tree group providing best results after Thermowood® process. The ashen trees with good features such as its color and resistance are the tree showing the texture of the tree in the best way. The ashen trees not having high resistance to external weather conditions in its natural conditions obtain a much longer life after Thermowood® process. It is a valid preference to use the NasThermowood ashen wood products in structures with significant aesthetics.



### **IROKO**

Iroko procured as a raw material with FSC certification (International Forest Management Council) from tropical forests of Africa is within the naturally resistant tree groups thanks to their structure. Iroko woods thermally processed with Thermowood® is the facade and floor coats most selected by the users thanks to its life, rigidity, color consistency and dimensional stability. You may use NasThermowood Iroko fulfilling the definition of superior wood in all aspects as an aesthetic structure material with safety.




**ASH DECKING**




**IROKO DECKING**




**PINE DECKING**



*Smooth*




*Smooth Clips*




*Smooth Tantak*




*Groove*




*Groove Clips*



*Curve*



*Curve Clips*




*Curve Tantak*



*Antislip*




*Antislip Clips*




*French*




*French Clips*



*French Tantak*



*Marine*





*Ada*

## FLOOR COATING (DECK) PROFILE PRODUCTS

### QUALITY AND MEASUREMENT STANDARDS

**A-QUALITY:** Butterfly knot, drop-tight knit products are tight.

**EXTRA:** Zero knotless products.

DECK TYPE	TYPE OF WOOD	QUALITY	THICKNESS (mm)	WIDTH (mm)	LENGTH (mm)
<b>PERGE-SHP</b> 	PINE	EXTRA A- QUALITY	26	92/117/138	750- 5100
	ASH	EXTRA	20	90/115/130	750- 3000
	IROKO	EXTRA	20/25	90	750- 3000
<b>PERGE-AS</b> 	PINE	EXTRA A- QUALITY	26	92/117/138	750- 5100
	ASH	EXTRA	21	90/115/130	750- 3000

## TEOS-SHP



PINE	EXTRA A- QUALITY	26	92/117/138	750- 5100
------	------------------------	----	------------	--------------

ASH	EXTRA	20	90/115/130	750- 3000
-----	-------	----	------------	--------------

IROKO	EXTRA	20/25	90	750- 3000
-------	-------	-------	----	--------------

## TEOS-AS



PINE	EXTRA A- QUALITY	26	92/117/138	750- 5100
------	------------------------	----	------------	--------------

ASH	EXTRA	20	90/115/130	750- 3000
-----	-------	----	------------	--------------

## TALES



ASH	EXTRA	10	90	750- 3000
-----	-------	----	----	--------------


IROKO	EXTRA	10	90	750- 5100
-------	-------	----	----	--------------

## QUALITY AND MEASUREMENT STANDARDS

**A-QUALITY:** Butterfly knot, drop-tight knit products are tight.

**EXTRA:** Zero knotless products.

	TYPE OF WOOD	QUALITY	THICKNESS (mm)	WIDTH (mm)	LENGTH (mm)
<b>EFES-UTV</b> 	PINE	EXTRA A-QUALITY	20	92/117/138	750-5100
	SPRUCE	A-QUALITY	18	92/117/138	750-3000
	ASH	EXTRA	20	90/117/138	750-3000

<b>ARES-LOG</b> 	PINE	EXTRA A-QUALITY	26	92/117/138	750-5100
---	------	--------------------	----	------------	----------

<b>ARES-UYL</b> 	PINE	EXTRA A-QUALITY	26	92/117/138	750-5100
---	------	--------------------	----	------------	----------

## EFES-UTS



<b>PINE</b>	<b>EXTRA A- QUALITY</b>	<b>20</b>	<b>92/117/138</b>	<b>750- 5100</b>
<b>SPRUCE</b>	<b>A- QUALITY</b>	<b>18</b>	<b>92/117/138</b>	<b>750- 3000</b>
<b>ASH</b>	<b>EXTRA</b>	<b>20</b>	<b>90/115/130</b>	<b>750- 3000</b>
<b>İROKO</b>	<b>EXTRA</b>	<b>19</b>	<b>92</b>	<b>750- 3000</b>

## EFES-STP



<b>PINE</b>	<b>EXTRA A- QUALITY</b>	<b>20</b>	<b>92/117/138</b>	<b>750- 5100</b>
<b>SPRUCE</b>	<b>A QUALITY</b>	<b>18</b>	<b>92/117/138</b>	<b>750- 3000</b>
<b>ASH</b>	<b>EXTRA</b>	<b>20</b>	<b>90/117/138</b>	<b>750- 3000</b>
<b>İROKO</b>	<b>EXTRA</b>	<b>19</b>	<b>90</b>	<b>750- 3000</b>

SPECIE	THICKNESS (mm)	WIDTH (mm)	LENGTH (mm)
Ash	21	90/115/130/150/160	1500-4200
	25	125/130/150/160	
	30	130/150/160/180/200	
	42	130/140/150/200	
Iroko	20/25	90/120	1000-3000
	40	90/120	
Pine	26	92/117/138	1800-5100
	42	92/135	
Teak	10/18/24	50/75/95/125	900-1700 / 1800-2400












# FloorLaBs

FloorLaBs | WOODEN DECK COLLECTION






WOODEN DECK




COMPOSITE DECK

## Colors



Bitter coffee



White coffee



Wenge




Anthracite



Teak



Grey



Green

## Connection Equipment



3050 Structure



4060 Edge Cover



# FloorLaBs

FloorLaBs | COMPOSITE DECK COLLECTION







# FloorLaBs

FloorLaBs | COMPOSITE DECK COLLECTION







# AROUND THE WORLD

MORE THAN  
50 COUNTRIES



[www.FloorLaBs.co](http://www.FloorLaBs.co)



[www.FloorLaBs.co](http://www.FloorLaBs.co)

•Tel: +90 232 237 3385 •Email : [export@egecam](mailto:export@egecam) •WhatsApp : +90 531 778 1178